



Marco TA1 Gas Bottle Replacement

This tutorial guides you through the gas bottle replacement on a MARCO TA1 hand-held gas horn.

Written By: Marco Spa



INTRODUCTION

Spare bottles may be with different gases, according to your needs.

Flammable gas: [LINK](#)

Thetafluorethane: [LINK](#)

Environmentally safe: [LINK](#)



PARTS:

- [TA1 Spare Bottle](#) (1)
-

Step 1 — Let's get ready



i You need your TA1 handheld horn and a spare gas bottle to proceed.

Step 2 — Remove the trumpet from the gas bottle



- Press down the flap.

⚠ Be careful: if you press too much it may break.


Step 3 — Push the half-circle lock



- While pressing the flap, move the half-circle lock to free the trumpet from the tank.

Step 4 — Remove the trumpet from the bottle



-  You don't need the empty tank anymore. Dispose it like required from your local laws.

Step 5 — Take the new gas bottle



- Take the new bottle and remove the cap.

Step 6 — Open the lock



- Open the lock on the trumpet.

Step 7 — Put the trumpet on the bottle



- Put the trumpet on the bottle.

⚠ BE CAREFUL. Keep your fingers away from the trumpet and red circled moving parts: when the trumpet is on the gas bottle and you press it, it will honk!!

Step 8 — Close the lock on the bottle



⚠ BE CAREFUL. The horn may honk if you press it too strong on the red marked part.

Step 9 — Check that the lock it's completely sealed



- ① The red circled lock has to be like in the picture, out and up. If it's still inside, the trumpet may disconnect.
- ① The blue circled part should be like in the picture, with no space between the components.

Step 10 — You've finished!



- Your gas horn it's now up and running, ready to be used again!

There's no limit on the number of times you change the gas bottle.

This document was last generated on 2017-06-18 07:51:32 AM.